Ciba Specialty Chemicals North America

8EHQ-0802-151800 MR 60966

BEHP-02-15180 88020000 1660



August 5, 2002

Via Federal Express
Confidential

US Environmental Protection Agency
OPPT Document Control Office Mail Code 7407M
Attention: Section 8(e) Submission
EPA East Building, Room 6428
1201 Constitution Avenue NW
Washington, DC 20460-0001

SANITIZED COPY 300 AIR 00 AIR

Subject: TSCA 8(e) Notice - CGX RU 997 (TKA 40254)

Dear Section 8(e) Coordinator:

This letter contains Confidential Business Information. Confidential Information bracketed { }.

In accordance with EPA's March 16, 1978 Policy Statement on Section 8(e) reporting under the Toxic Substances Control Act (TSCA), the EPA's June, 1991 TSCA Section 8(e) Reporting Guide, Ciba Specialty Chemicals Corporation wishes to bring to the attention of the Environmental Protection Agency the results observed in a contact hypersensitivity test with an experimental elastomers antioxidant, CGX RU 997. CGX RU 997 is a {

<u>နို</u> မှ ခြင်

٢

Please note that a CASRN has not been assigned to this product.

A contact hypersensitivity maximization-test was conducted in albino Guinea pigs with CGX RU 997 (OECD Guideline 406). Ten of ten (10/10) animals of the test group showed a positive skin response after the challenge procedure. All animals showed erythema at the treatment site; no toxic symptoms were evident. In accordance to the allergenic potency grading pursuant to Magnusson and Kligman, the test item is considered to be an extreme sensitizer.

SANITIZED COPY

COMPANY SANTEED

540 White Plains Road Tarrytown, New York 10591

Tel. 914-785-4311 Fax 914-785-4147 We are enclosing a copy of the study "TKA 40254 (CGX RU 997) Contact Hypersensitivity in Albino Guinea Pigs, Maximization-Test" RCC,Ltd, CH-4452, Itingen, Switzerland; RCC Study Number 841900

Based upon current EPA guidelines, it is felt these results warrant reporting under TSCA 8(e). A sanitized copy of this letter and study reports are also enclosed. A Confidential Business Information Substantiation for this product is also submitted pursuant to TSCA 8(e) requirements. Please call the undersigned if you have any questions concerning this submittal.

Respectfully, Ciba Specialty Chemicals Corporation

Thomas Barber

Manager, Product Compliance

SANITIZED COPY

RCC Study Number 841900

TKA 40254 (CGX RU 997):

Contact Hypersensitivity in Albino Guinea Pigs, Maximization-Test

Report

Author:

G. Arcelin

Sponsor: Ciba Specialty Chemicals Inc.

CH-4002 Basel / Switzerland

6/1/02

Page 1 of 56

SANITIZED COPY



Table of contents

1	PR	EFACE		5
	1.1	GEN	ERAL	5
	1.2	RESP	PONSIBILITIES	5
	1.3	SCH	EDULE	5
	1.4	ARCH	HVING	6
	1.5	SIGN	ATURE PAGE	7
	1.6	QUAL	ITY ASSURANCE UNIT	8
	1.7	STAT	EMENT OF COMPLIANCE	9
	1.8	CERT	IFICATION OF GLP AND VERIFICATION OF THE REPORT	10
	1.9	ACCF	REDITATION	11
	1.10	TEST	GUIDELINES	11
	1.1	REFE	RENCES	11
2	SUI	MARY		12
3				
4	MA	TERIALS	S AND METHODS	14
	4.1		SYSTEM	
	4.2		CATION	
	4.3		ANDRY	
	4.4		TEM	
	4.5		LE	
	4.6		ARY COMPOUNDS	
	4.7		TEM PREPARATION	
	4.8		NALE	
	4.9		NGS AND SCORING	
			TION OF CONCENTRATION OF TEST ITEM FOR MAIN STUD	
5	STU		DUCT - TREATMENT PROCEDURE	19
	5.1		ST PERFORMED WITH TKA 40254 (CGX RU 997) BEFORE	
			JRING THE ACCLIMATIZATION PERIOD OF THE CONTROL	19
	5.2		TUDY	
	0,2	5.2.1	INDUCTION	
			INTRADERMAL INJECTIONS / PERFORMED ON TEST DAY	
			EPIDERMAL APPLICATIONS / PERFORMED ON TEST DAY	
			CHALLENGE / PERFORMED ON TEST DAY 22	21

Table of contents (cont'd)

	5.3	INTERPRETATION	22
	5.4	RATING OF ALLERGENICITY ACCORDING TO MAGNUSSON AND KLIGMAN	22
	5.5	OBSERVATIONS	
6	PAT	HOLOGY	
_	6.1	NECROPSY	
7	STA	TISTICAL ANALYSIS	
8	DAT	A COMPILATION	23
9		ULTS	
_		Study	
	9.1		
	9.2		
	9.3	SKIN EFFECTS AFTER THE CHALLENGE - PERFORMED ON TEST DAY 22	
	9.4	VIABILITY / MORTALITY / MACROSCOPIC FINDINGS	
	9.5	CLINICAL SIGNS, SYSTEMIC	25
	9.6	BODY WEIGHTS	

Table of contents (cont'd)

APPENDIX A	
PRETEST	27
MAIN STUDY	
- INDUCTION	
- CHALLENGE	31
APPENDIX B	
NECROPSY	
- MACROSCOPIC FINDINGS	36
APPENDIX C	
BODY WEIGHTS	
- SUMMARY	38
- INDIVIDUAL	41
APPENDIX D	
RESULTS OF POSITIVE CONTROL	43
APPENDIX E	
SUMMARY TABLE OF STUDY INFORMATION AND RESULTS	53
APPENDIX F	
CERTIFICATION	
- ACCREDITATION / EUROPEAN STANDARD EN 45001	
- GLP - CERTIFICATION	56
LAST PAGE OF REPORT	· 56

PREFACE 1

GENERAL 1.1

Title

TKA 40254 (CGX RU 997):

Contact Hypersensitivity in Albino Guinea Pigs,

Maximization-Test

Sponsor

Ciba Specialty Chemicals Inc. CH-4002 Basel / Switzerland

Study Monitor

Mrs. Isabelle Frei

Test Facility

RCC Ltd

Toxicology Division Wölferstrasse 4

CH-4414 Füllinsdorf / Switzerland

RESPONSIBILITIES 1.2

Study Director

G. Arcelin

Deputy for Study Director

M. Ott

Technical Coordinator

P. Reissbrodt

Head of RCC Quality

I. Wüthrich

Assurance

1.3 SCHEDULE

Experimental Starting Date

08-JAN-2002

Experimental Completion Date 18-FEB-2002

Delivery of the Animals

08-JAN-2002 (pretest)

15-JAN-2002 (main study)

Pretest Start

08-JAN-2002

Acclimatization (main study)

15-JAN-2002 to 21-JAN-2002

Observation (main study)

15-JAN-2002 to 18-FEB-2002

Treatment (main study)

22-JAN-2002 to 12-FEB-2002

Termination

18-FEB-2002

Study Completion Date

07-JUN-2002

1.4 ARCHIVING

RCC Ltd (CH-4452 Itingen / Switzerland) will retain the study plan, raw data, a sample of test item(s) and the final report of the present study for at least ten years. No data will be discarded without the Sponsor's consent.

1.5 SIGNATURE PAGE

Study Director:

G. Arcelin

date: 07 - JVN-2002

Management:

) S. Corney

1.6 QUALITY ASSURANCE UNIT

RCC Ltd, Toxicology Division, CH-4452 Itingen / Switzerland

STATEMENT

RCC STUDY NUMBER:

841900

TEST ITEM

TKA 40254 (CGX RU 997)

STUDY DIRECTOR

G. Arcelin

TITLE

TKA 40254 (CGX RU 997):

Contact Hypersensitivity in Albino Guinea Pigs,

Maximization-Test

The general facilities and activities are inspected periodically and the results are reported to the responsible person and the management.

Study procedures with exception of the formulation trials were periodically inspected. The study plan and this report were audited by the Quality Assurance Unit. The dates are given below.

Dates and Types of QAU Inspections	Dates of Reports to the Study Director and to Management
19-DEC-2001 Study Plan	19-DEC-2001
22-JAN-2002 Test System / Test Item / Treatment / Raw Data / Dose preparation	22-JAN-2002
04-MAR-2002 to 06-MAR-2002 Report	06-MAR-2002

This statement also confirms that this final report reflects the raw data.

Quality Assurance:

(... /

date: 07-JUN-2002

GOOD LABORATORY PRACTICE

1.7 STATEMENT OF COMPLIANCE

RCC STUDY NUMBER:

841900

TEST ITEM

TKA 40254 (CGX RU 997)

STUDY DIRECTOR

G. Arcelin

TITLE

TKA 40254 (CGX RU 997):

Contact Hypersensitivity in Albino Guinea Pigs,

Maximization-Test

The formulation trials were performed before the study initiation date. Therefore, they are excluded from this statement.

This study has been performed in compliance with the Swiss Ordinance relating to Good Laboratory Practice, adopted February 2nd, 2000 [RS 813.016.5]. This Ordinance is based on the OECD Principles of Good Laboratory Practice, as revised in 1997 and adopted November 26th, 1997 by decision of the OECD Council [C(97)186/Final].

These procedures were consistent with the Good Laboratory Practice regulations specified by regulatory authorities throughout the European Community, the United States (EPA and FDA), and Japan (MHW, MAFF and MITI).

G. Arcelin

date:

Study Director:

9

1.8 CERTIFICATION OF GLP AND VERIFICATION OF THE REPORT

The statement of Compliance with Good Laboratory Practice found in this report, and sign	ned
by the Study Director is truthful and accurate, and this report as provided by the test fac	vilit
is complete and unaltered.	

Signature of the Sponsor:	
	Date:

1.9 ACCREDITATION

The test facility "RCC Ltd, Toxicology Division" is accredited according to EN 45001 under accreditation number STS 085 by the Swiss Accreditation Service.

1.10 TEST GUIDELINES

The study procedures described in this report are based on the following guidelines:

Directive 96/54/EEC, B.6. "Acute Toxicity - Skin Sensitization", July 30, 1996.

OECD Guidelines for Testing of Chemicals, Number 406 "Skin Sensitization", adopted by the Council on July 17, 1992 (reported Paris, April 29, 1993).

1.11 REFERENCES

Magnusson, B. and Kligman, A.M., 1969. The Identification of Contact Allergens by Animal Assay. The Guinea Pig Maximization Test. J. Invest. Dermatol. 52: 268-276.

Magnusson, B. and Kligman, A.M., 1970. Allergic contact dermatitis in the guinea pig. Identification of Contact Allergens. Springfield III; Charles C Thomas.

2 SUMMARY

In order to assess the cutaneous allergenic potential of TKA 40254 (CGX RU 997), the Maximization-Test was performed in 15 (10 test and 5 control) female albino guinea pigs, in accordance with OECD Guideline No. 406 and the Directive 96/54/EEC, B.6.

The intradermal induction of sensitization in the test group was performed in the nuchal region with a 25 % dilution of the test item in PEG 300 and in an emulsion of Freund's Complete Adjuvant (FCA) / physiological saline. The epidermal induction of sensitization was conducted for 48 hours under occlusion with the undiluted test item one week after the intradermal induction. The animals of the control group were intradermally induced with PEG 300 and FCA/physiological saline and epidermally induced with PEG 300 under occlusion.

Two weeks after epidermal induction the control and test animals were challenged by epidermal application of the test item at 25 % in PEG 300 and PEG 300 alone under occlusive dressing.

Cutaneous reactions were evaluated at 24 and 48 hours after removal of the dressing.

Results

Skin Reactions after the Challenge Procedure

	after 24 hours	after 48 hours
·	positive / total % positive of total	positive / total % positive of total
CONTROL GROUP		To produte of total
TKA 40254 (CGX RU 997) 25 % in PEG 300 (left flank)	0/5	0/5
PEG 300 only (right flank)	0/5	0/5
TEST GROUP		
TKA 40254 (CGX RU 997) 25 % in PEG 300 (left flank)	10/10	9/9*
PEG 300 only (right flank)	0/10	0/9

^{*} One animal (no. 330) of the test group was found dead on test day 25 (i.e. 5 hours prior to the 48-hour reading in the challenge phase). At necropsy, no macroscopic findings were noted. The cause of death could not be established. The death was considered to be spontaneous and treatment unrelated.

No toxic symptoms were evident in the guinea pigs of the control or test group.

All test animals showed discrete/patchy to moderate/confluent erythema after the challenge treatment with TKA 40254 (CGX RU 997) at 25 % (w/w) in PEG 300. No skin effect was observed in the control group.

Conclusion

Based on the above mentioned findings in an adjuvant sensitization test (M&K-test) in guinea pigs, TKA 40254 (CGX RU 997) is considered to be an extreme skin sensitizer.

PURPOSE 3

The purpose of this skin sensitization study was to assess the allergenic potential of TKA 40254 (CGX RU 997) when administered to the skin of albino guinea pigs.

This study should provide a rational basis for risk assessment of the sensitizing potential of the test item in man.

The sensitivity and reliability of the experimental technique employed was assessed by use of 2-MERCAPTOBENZOTHIAZOLE which is recommended by the OECD 406 Guidelines and is known to have moderate skin sensitization properties in the quinea pig strain. The results from the most recent test run (RCC study number 905635, performed from 14-MAY-2001 to 21-JUN-2001) are included in this report under the APPENDIX D.

MATERIALS AND METHODS 4

TEST SYSTEM 4.1

Ibm: GOHI; SPF-quality guinea pigs Test system

(synonym: Himalayan spotted)

Rationale Recognized by the international guidelines as a

recommended test system (e.g. OECD, EEC).

RCC Ltd, Biotechnology & Animal Breeding Division, Source

Wölferstrasse 4, CH-4414 Füllinsdorf / Switzerland

Number of animals for

main study / pretest

15 females / 3 females (nulliparous and non-pregnant)

Age at pretest start/beginning

of acclimatization period

4 - 7 weeks

Body weight at pretest start

Pretest groups: 396 - 417 g

Body weight at beginning of acclimatization period

Control and test group

403 - 447 g

Identification

By unique cage number and corresponding ear tags.

Selected by hand at time of delivery. No computer randomization.

Acclimatization

Randomization

One week for the control and test group under test conditions after health examination. No acclimatization for

the animals of the pretest. Only animals without any visible

signs of illness were used for the study.

4.2 **ALLOCATION**

The animals were distributed as follows:

	NUMBER OF ANIMALS PER GROUP	ANIMAL NUMBERS PER GROUP		
1 Intradermal Pretest	1	314		
2 Epidermal Pretest	2	315 - 316		
3 Control Group	5	317 - 321		
4 Test Group	10	322 - 331		

HUSBANDRY 4.3

Room no.

105 / RCC Ltd, Füllinsdorf

Conditions

Standard Laboratory Conditions

Air-conditioned with target ranges for room temperature 20 ± 3 °C, relative humidity 30-70 % and approximately 10-15 air changes per hour. Room temperature and humidity were monitored continuously and values outside of these ranges occasionally occurred, usually following room cleaning. These transient variations are considered not to have any influence on the study and, therefore, these data are not reported but are retained at RCC. The animals were provided with an automatically controlled light cycle of 12 hours light and 12 hours dark. Music was played during

the daytime light period.

Accommodation

Individually in Makrolon type-4 cages with standard softwood

bedding ("Lignocel", Schill AG, CH-4132 Muttenz).

Diet

Pelleted standard Provimi Kliba 3418, batch no. 93/01, guinea pig breeding / maintenance diet, containing Vitamin C (Provimi Kliba AG, CH-4303 Kaiseraugst), ad libitum. Results of analyses for contaminants are archived at

RCC Ltd, Itingen.

Water

Community tap water from Füllinsdorf, ad libitum. Results of bacteriological, chemical and contaminant analyses are

archived at RCC Ltd, Itingen.

4.4 TEST ITEM

The following information was provided by the sponsor:

Identification

TKA 40254

Product name

CGX RU 997

Description

liquid

Batch number

02/2001

Purity

see Analytical Certificate (Ciba Specialty Chemicals Inc.;

Study No. 14019814-1)

Stability of test item

Stable under storage conditions;

expiration date: 31-AUG-2002

Stability of test item dilution

Stable in polyethylene glycol 300 and in a 1:1 (v/v) mixture of

FCA/physiological saline for at least 2 hours at room temperature (determined at RCC Ltd, Environmental Chemistry & Pharmanalytics Division, under RCC project

number 841913).

Storage conditions

In the original container, at room temperature (range of 20 ± 3 °C), away from direct sunlight.

Safety precautions

Routine hygienic procedures were used to ensure the health

and safety of the personnel.

4.5 VEHICLE

The following information was provided by RCC Ltd:

Identification

Polyethylene glycol 300 (PEG 300)

Description

colorless viscous liquid

Lot number

424718/1 42701

Source

FLUKA Chemie GmbH, CH-9471 Buchs

Stability of vehicle

Stable under storage conditions; expiration date: 10-AUG-2002

Storage conditions

In the original container, at room temperature

(range of 20 ± 3 °C), away from direct sunlight.

Safety precautions

Routine hygienic procedures were used to ensure the health

and safety of the personnel.

The vehicle was selected based on preliminary solubility testing which was performed before the study initiation date. Therefore, the formulation trials were excluded from the statement of GLP compliance. The test item was not soluble in purified water but was readily soluble in PEG 300.

4.6 AUXILIARY COMPOUNDS

The following information was provided by RCC Ltd:

<u>FCA</u>

Identification

Freund's Adjuvant - Complete

Description

clear, amber liquid containing light colored particles

Lot No.

39H8926

Source

Sigma, 3050 Spruce Street, Saint Louis, Missouri 63103

USA

Purity

each ml contains 1 mg Mycobacterium Tuberculosis

(H 37Ra, ATCC 25177), heat killed and dried, 0.85 ml min-

eral oil and 0.15 ml mannide monooleate

Expiry date

23-MAY-2002

Storage conditions

In the original container, in the refrigerator (range of

 5 ± 3 °C), away from direct sunlight.

Physiological saline

Identification

Natrium chloratum 0.9 %

Description

colorless liquid

Charge No.

720504/2

Source

G. Streuli & Co. AG, CH-8730 Uznach/Switzerland

Expiry date

July 2004

Storage conditions

In the original container, in the refrigerator (range of

 5 ± 3 °C), away from direct sunlight.

4.7 TEST ITEM PREPARATION

The test item and vehicle* or auxiliary compound were placed into a glass beaker on a tared Mettler PM 460 balance and a weight by weight dilution was prepared. Homogeneity of the test item preparation was ensured and maintained during treatment using a magnetic stirrer and/or spatula. The preparations were made immediately prior to each dosing.

Dose levels were in terms of material as supplied by the sponsor.

^{*} PEG 300 was used for the intradermal and epidermal pretests. It was also used for the intradermal and epidermal induction and the challenge in the main study. The 1:1 mixture (v/v) of Freund's Complete Adjuvant:physiological saline was used for the pretest and the intradermal induction in the main study.

4.8 RATIONALE

The application procedure was used to detect a possible allergenic potential of the test item applied.

4.9 READINGS AND SCORING

The scoring system was performed by visual scoring of erythema, oedema and other clinical changes of skin conditions. They were assessed using the following Magnusson and Kligman grading scale:

- 0 = no visible change
- 1 = discrete or patchy erythema
- 2 = moderate and confluent erythema
- 3 = intense erythema and swelling

Grading of all animals was done by positioning the animal under true-light (Philips TLD 36W/84 or Osram 36W/31 830).

4.10 SELECTION OF CONCENTRATION OF TEST ITEM FOR MAIN STUDY

Intradermal and Epidermal Induction:

The concentration of test item used for each induction exposure was well-tolerated systemically and was the highest to cause mild skin irritation.

Epidermal Challenge:

Concentration that was the maximum tested non-irritant concentration.


To determine the different concentrations an intradermal and epidermal pretest was performed as described below.

STUDY CONDUCT - TREATMENT PROCEDURE 5

PRETEST PERFORMED WITH TKA 40254 (CGX RU 997) BEFORE AND DURING THE ACCLIMATIZATION PERIOD OF 5.1 THE CONTROL AND TEST GROUP

The test item concentrations described below were selected during a preliminary solubility testing which was not inspected by the Quality Assurance Unit.

Four intradermal injections (0.1 ml/site) of a 1:1 (v/v) mixture of Freund's Complete Adjuvant/physiological saline were made into the shaved neck of one guinea pig (no. 314). One week later intradermal injections (0.1 ml/site) were made into the clipped flank of the same guinea pig at concentrations of A = 25%, B = 15% and C = 10% of the test item in PEG 300. cranial



Based on the results, the test item concentration of 25 % was selected for intradermal Dermal reactions were assessed 24 hours later. induction in the main study.

The skin reactions are listed on page 27 in APPENDIX A.


Four intradermal injections (0.1 ml/site) of a 1:1 (v/v) mixture of Freund's Complete Adjuvant/physiological saline were made into the shaved neck of two guinea pigs. One week later both flanks of each of the guinea pigs were clipped and shaved just prior to the application. Thereafter 4 patches of filter paper (3 x 3 cm) were saturated with the test item application. There are = patones of line paper (0 x 0 off) were satisfactor with the control at D = 100 %, E = 75 %, F = 50 % and G = 25 % and applied to the clipped and shaved flanks. PEG 300 was used for the dilutions. The amount of test item preparation applied was approximately 0.2 g for the test item at 100 % and 75 % and a volume of approximately 0.2 ml was applied for the remaining test item concentrations. The patches were covered by a strip of aluminum foil and firmly secured by elastic plaster wrapped around the trunk and covered with impervious adhesive tape. This procedure ensured the intensive contact of the test item. The dressings were removed after an exposure period of 24 hours.

Twenty-one hours after removal of the dressing the application site was depilated with an approved depilatory cream (VEET Cream, Reckitt & Colman AG, CH-4123 Allschwil) in order to visualize any resulting erythema.

The depilatory cream was placed on the patch sites and surrounding areas, and left on for 3-5 minutes. It was then thoroughly washed off with a stream of warm, running water. Thereafter, the animals were dried with a disposable towel, and returned to their cages.

The reaction sites were assessed 24 and 48 hours after removal of the bandage for erythema and oedema according to the method of Magnusson and Kligman (see 4.9).

The position of the epidermal applications is shown below:



The allocation of the different test item dilutions to the sites (D, E, F, G) on the two animals was alternated in order to minimize site-to-site variation in responsiveness.

Results are listed on page 28 in APPENDIX A. Based on the results obtained the concentration selected for induction and challenge in the main study was 100 % and 25 %, respectively.

5.2 MAIN STUDY

5.2.1 INDUCTION

5.2.1.1 INTRADERMAL INJECTIONS / PERFORMED ON TEST DAY 1

An area of dorsal skin from the scapular region (approximately 6×8 cm) was clipped free of hair. Three pairs of intradermal injections (0.1 ml/site) were made at the border of a 4×6 cm area in the clipped region as follows:


Test Group:

- 1) 1:1 (v/v) mixture of Freund's Complete Adjuvant and physiological saline.
- 2) The test item, at 25 % in PEG 300.
- 3) The test item at 25 % in a 1:1 (v/v) mixture of Freund's Complete Adjuvant and physiological saline.

Control Group:

- 1:1 (v/v) mixture of Freund's Complete Adjuvant and physiological saline.
- 2) PEG 300
- 1:1 (w/w) mixture of PEG 300 in a 1:1 (v/v) mixture of Freund's Complete Adjuvant and physiological saline.

The positions of the intradermal injections are shown below:



5.2.1.2 EPIDERMAL APPLICATIONS / PERFORMED ON TEST DAY 8

One week after the injections, the scapular area (approximately 6 x 8 cm) was again clipped and shaved free of hair prior to the application. A 2 x 4 cm patch of filter paper was saturated with the undiluted test item and placed over the injection sites of the test animals. The amount of test item preparation applied was approximately 0.3 g. The patch was covered with aluminum foil and firmly secured by an elastic plaster wrapped around the trunk of the animal and secured with impervious adhesive tape. The occlusive dressings were left in place for 48 hours. The epidermal application procedure described ensured intensive contact

The guinea pigs of the control group were treated as described above with PEG 300 only, applied at a volume of approximately 0.3 ml.

The reaction sites were assessed 24 and 48 hours after removal of the bandage for erythema and oedema according to the method of Magnusson and Kligman (see 4.9).

The skin reactions are listed in Tables 1 to 2 in APPENDIX A.

CHALLENGE / PERFORMED ON TEST DAY 22

The test and control guinea pigs were challenged two weeks after the epidermal induction application and were treated in the same way.

Hair was clipped and shaved from a 5 x 5 cm area on the left and right flank of each guinea pig just prior to the application. Two patches (3 x 3 cm) of filter paper were saturated with the test item at the highest tested non-irritating concentration of 25 % (applied to the left flank) and the vehicle only (PEG 300 applied to the right flank) using the same method as for the epidermal application. The volume of test item preparation and vehicle applied was approximately 0.2 ml. The dressings were left in place for 24 hours.

Twenty-one hours after removal of the dressing the test sites treated with the test item were depilated as described in the epidermal pretest.

The reaction sites were assessed 24 and 48 hours after removal of the bandage for erythema and oedema according to the method of Magnusson and Kligman (see 4.9).

The skin reactions are listed in Tables 3 to 6 in APPENDIX A.

5.3 INTERPRETATION

The results obtained from test animals following the challenge application were compared with the results seen in control animals.

An allergic reaction was defined by visible reddening of the challenge site.

If the dermal reactions of test animals following the challenge were more marked and/or persistent than those of the control animals, the animals were considered to show evidence of contact hypersensitivity.

If the dermal reactions of test animals following the challenge were not clearly different from the reactions seen in the control group animals, the results for the test animals were considered "inconclusive".

The test animals were considered to show no evidence of contact hypersensitivity if the dermal reactions to the challenge application were identical or less marked and/or persistent than the reactions observed in the control animals.

By "maximizing" the exposure and enhancing allergenicity, some problems could arise, particularly in relation to specificity, especially the potential for false-positive reactions. An inflammatory response at challenge may not necessarily be due to allergenicity, but instead may be a false-positive irritant response caused by an inducing hyperirritability.

5.4 RATING OF ALLERGENICITY ACCORDING TO MAGNUSSON AND KLIGMAN

Based upon the percentage of animals sensitized (24- and 48-hour reading), the test item was assigned to one of the following five grades of allergenic potency according to Magnusson and Kligman, ranging from weak to extreme:

Sensitization Rate (%)	Grade	Classification
0 - 8	1	weak
9 - 28	2	mild
29 - 64	3	moderate
65 - 80	4	strong
81 - 100	5	extreme

5.5 OBSERVATIONS

The following observations and data were recorded during the study:

Viability / Mortality Daily from delivery of the animals to the termination of the test.

Clinical signs (systemic) Daily from delivery of the animals to the termination of the test.

Report

Skin reactions

At the times specified during the pretest, induction and

challenge periods.

Body weights

At pretest and acclimatization start, day 1 and termination of

the test.

Records were maintained on all additional and standard observations.

6 PATHOLOGY

6.1 NECROPSY

Necropsy was performed in one animal (no. 330) of the test group which was found dead on test day 25 (i.e. 5 hours prior to the 48-hour reading in the challenge phase).

No necropsies were performed in the animals of the control and test group sacrificed at termination of the observation period nor in the animals of the intradermal and epidermal pretest sacrificed on test day 1 of the main study.

The surviving animals were sacrificed by intraperitoneal injection of NARCOREN at a dose of at least 2.0 ml/kg body weight (equivalent to 320 mg sodium pentobarbitone/kg body weight) and discarded.

7 STATISTICAL ANALYSIS

Descriptive statistics (means and standard deviations) were calculated for body weights. No inferential statistics were used.

8 DATA COMPILATION

The following data were recorded on data sheets and transcribed in the report: skin reactions, viability/mortality and clinical signs.

The following data were compiled into the RCC computer system during recording: macroscopic findings.

The following data were recorded on-line: body weights.

9 RESULTS Main Study

9.1 SKIN EFFECTS AFTER INTRADERMAL INDUCTION - PERFORMED ON TEST DAY 1

The expected and common findings were observed in the control and test group after the different applications using FCA intradermally. These findings consisted of erythema, oedema, necrotizing dermatitis, encrustation, exfoliation of encrustation and also gray discoloration produced by the test item.

No detailed description of the effects is given in the report as these FCA effects are well-known.

9.2 SKIN EFFECTS AFTER EPIDERMAL INDUCTION - PERFORMED ON TEST DAY 8

CONTROL GROUP

No erythematous or oedematous reaction was observed in the animals treated with PEG 300 only.

TEST GROUP

As the undiluted test item stained the skin gray-brown, it was not possible to determine whether erythema was present or not. However, no oedema was observed. The animals were not depilated in the epidermal induction phase.

See Tables 1 and 2, pp. 29 - 30

9.3 SKIN EFFECTS AFTER THE CHALLENGE - PERFORMED ON TEST DAY 22

CONTROL GROUP

No skin reactions were observed in the animals when treated with either PEG 300 only or when treated with the test item at 25 % in PEG 300.

Gray-brown discoloration produced by the test item was noted directly after removal of the patch. To remove the discoloration all animals were depilated 3 hours prior to challenge reading.

See Tables 3 and 4, pp. 31 - 32

TEST GROUP

Discrete/patchy to moderate/confluent erythema were observed in all animals at the 24-hour reading and moderate/confluent erythema was observed in all surviving animals at the 48-hour reading after treatment with the test item at 25 % in PEG 300.

No skin reactions were observed in the animals treated with PEG 300 only.

Gray-brown discoloration produced by the test item was noted directly after removal of the patch. To remove the discoloration all animals were depilated 3 hours prior to challenge reading.

See Tables 5 and 6, pp. 33 - 34

9.4 VIABILITY / MORTALITY / MACROSCOPIC FINDINGS

One animal (no. 330) of the test group was found dead on test day 25 (i.e. 5 hours prior to the 48-hour reading in the challenge phase). At necropsy, no macroscopic findings were noted. The cause of death could not be established. The death was considered to be spontaneous and treatment unrelated.

See p. 36

9.5 CLINICAL SIGNS, SYSTEMIC

No signs of systemic toxicity were observed in the animals.

9.6 BODY WEIGHTS

Animal no. 317 of the control group showed a loss of body weight (20.1 %) between the treatment start and the end of the study.

The body weight of the other animals was within the range commonly recorded for animals of this strain and age.

See pp. 38 - 41

APPENDIX A

PRETEST

MAIN STUDY

- INDUCTION
- Epidermal Reactions
- CHALLENGE
- Epidermal Reactions

PRETEST

The following reactions were observed in the pretest:

INTRADERMAL INJECTION / performed before and during the acclimatization period of the control and test group

Vehicle:

PEG 300

Animal No.	Sex	Concentration (%)	REACTION READING AFTER 24 HOURS
314	female	25	. 1
		15	1
		10	1

According to the findings observed, the concentration selected for the main study was 25 %.

PRETEST (CONTINUED)

EPIDERMAL PRETEST /

performed before and during the acclimatization period of the control and test group

Vehicle:	PEG	300

Animal No.	Sex C	Concentration (%)	REACTION READINGS AFTER REMOVAL OF BANDAGE	
		(70)	24 hours	48 hours
315	female	D = 100	1	1
		E = 75	1	1
		F = 50	1	1
		G = 25	0	0
316	female	G = 25	0	0
		D = 100	1	1
		E = 75	1	1
		F = 50	1	1

Three hours prior to the 24-hour reading the test sites were depilated.

According to Magnusson - Kligman and to the findings observed, the undiluted test item was considered to be the tolerated concentration to stimulate a state of immune hypersensitivity and 25 % as the highest tested non-irritating concentration to be used for the challenge.

MAIN STUDY - INDUCTION

TABLE 1 : CONTROL GROUP

SKIN RESPONSE AFTER THE EPIDERMAL APPLICATION OF THE VEHICLE (PEG 300) DURING INDUCTION PERIOD (SCAPULAR AREA)

Animal No.	Sex	REACTION READINGS AFTER REMOVAL OF BANDAGE	
		24 hours	48 hours
317	female	0	0
318	female	0	0
319	female	O	o
320	female	О	0
321	female	0	0 .

MAIN STUDY - INDUCTION (CONTINUED)

TABLE 2 : TEST GROUP

SKIN RESPONSE AFTER THE EPIDERMAL APPLICATION OF TKA 40254 (CGX RU 997) (100 %) DURING INDUCTION PERIOD (SCAPULAR AREA)

Animal No.	Sex	REACTION READINGS AFTER REMOVAL OF BANDAGE	
		24 hours	48 hours
322	female	_*	_*
323	female	-	-
324	female	•	• ·
325	female	-	-
326	female	-	-
327	female	<u>-</u>	-
328	female	-	-
329	female	-	-
330	female	-	-
331	female	-	•

^{*} Due to a gray-brown discoloration produced by the test item a possible erythema reaction could not be determined. The animals were not depilated.

MAIN STUDY - CHALLENGE

TABLE 3 : CONTROL GROUP

SKIN RESPONSE AFTER THE CHALLENGE APPLICATION OF PEG 300 (RIGHT FLANK)

Animal No.	Sex	REACTION READINGS AFTER REMOVAL OF BANDAGE	
		24 hours	48 hours
317	female	0	0
318	female	О	0
319	female	0	0
320	female	0	. 0
321	female		0

MAIN STUDY - CHALLENGE (CONTINUED)

TABLE 4 : CONTROL GROUP

SKIN RESPONSE AFTER THE CHALLENGE APPLICATION OF TKA 40254 (CGX RU 997), 25 % IN PEG 300 (LEFT FLANK)

Animal No.	Sex	REACTION READINGS AFTER REMOVAL OF BANDAGE	
		24 hours	48 hours
317	female	0	0
318	female	o	0
319	female	0	0
320	female	О	o
321	female	0	0

Three hours prior to the 24-hour reading of the challenge the test sites were depilated.

MAIN STUDY - CHALLENGE (CONTINUED)

TABLE 5 : TEST GROUP

SKIN RESPONSE AFTER THE CHALLENGE APPLICATION OF PEG 300 (RIGHT FLANK)

Animal No.	Sex	REACTION READINGS AFTER REMOVAL OF BANDAGE	
		24 hours	48 hours
322	female	0	0
323	female	0	0
324	female	0	0
325	female	0	0
326	female	0	0
327	female	0	0
328	female	0	0
329	female	0	0
330	female	0	EXITUS
331	female	0	0

MAIN STUDY - CHALLENGE (CONTINUED)

TABLE 6 : TEST GROUP

SKIN RESPONSE AFTER THE CHALLENGE APPLICATION OF TKA 40254 (CGX RU 997), 25 % IN PEG 300 (LEFT FLANK)

Animal No.	Sex	REACTION READINGS AFTER REMOVAL OF BANDAGE	
		24 hours	48 hours
322	female	1	2
323	female	2	2
324	female	1	2
325	female	2	2
326	female	2	2
327	female	2	2
328	female	1	2
329	female	2	2
330	female	1	EXITUS
331	female	1	
		I	2

Three hours prior to the 24-hour reading of the challenge the test sites were depilated.

APPENDIX B

NECROPSY

- MACROSCOPIC FINDINGS

RCC STUDY NUMBER 841900 TKA 40254 (CGX RU 997)

MACROSCOPIC FINDINGS FEMALES GROUP 4 (TEST GROUP)

ANIMAL 330

(SPONTANEOUS DEATH, 15-FEB-2002)

NO FINDINGS NOTED

APPENDIX C

BODY WEIGHTS

- SUMMARY
- INDIVIDUAL

BODY WEIGHTS (GRAM) SUMMARY FEMALES

PRETE	ST		GROUP 1 INTRADERMAL PRETEST	EPIDERMAL I	GROUP 2 PRETEST	GROUP 3 CONTROL GROUP	
DAY	1	MEAN	417		401		
WEEK	1	ST.DEV.			7.1		
		MINIMUM	417		396		
		MUMIXAM	417		406		
		N	1		2	0	
			GROUP 4 TEST GROUP				
		MEAN					
		ST.DEV.					
		MINIMUM					
		MUMIXAM					
		N	0				

BODY WEIGHTS (GRAM) SUMMARY FEMALES

ACCLIMATIZATION		ATION	GROUP 1 INTRADERMAL PRETEST	GROUP 2 EPIDERMAL PRETEST	GROUP 3 CONTROL GROUP	
DAY WEEK	1	MEAN ST.DEV. MINIMUM MAXIMUM N	404 404 404 1	407 19.5 394 421 2	435 4.0 431 442 5	
			GROUP 4 TEST GROUP			
		MEAN ST.DEV. MINIMUM MAXIMUM N	425 12.3 403 447 10			

BODY WEIGHTS (GRAM) SUMMARY FEMALES

TREAT	MENT		GROUP 1 INTRADERMAL PRETEST	GROUP 2 EPIDERMAL PRETEST	GROUP 3 CONTROL GROUP	
DAY	1	MEAN	422	421	475	
WEEK	ī	ST.DEV.		15.6	22.4	
	_	MUMINIM	422	410	452	
		MUMIKAM	422	432	503	
		N	1	2	5	
			GROUP 4 TEST GROUP			
		MEAN	459			
		ST.DEV.	13.9			
		MINIMUM	443			
		MAXIMUM	480			
		N	10			
			GROUP 1 INTRADERMAL PRETEST	GROUP 2 EPIDERMAL PRETEST	GROUP 3 CONTROL GROUP	
AY	28	MEAN			517	
EEK	4	ST.DEV.			91.5	
		MUMINIM			365	
		MUMIXAM			609	
		N	0	0	5	
			GROUP 4 TEST GROUP			
		MEAN	569			
		ST.DEV.	38.9			
		MINIMUM	498			
		MUMIXAM	619			
		N	9			

BODY WEIGHTS (GRAM) FEMALES

	PRETEST	ACCLIMATIZATION	TREATMENT		
Days Weeks Animal	1	1 1	1	28 4	
GROUP 1	(INTRADERMAL PRETE	ST)			
314	417	404	422		
GROUP 2	(EPIDERMAL PRETEST	r)			
315	396	394	410		
316	406	421	432		
GROUP 3	(CONTROL GROUP)				
317		433	457	365	
318		431	468	516	
319		435	452	555	
320		436	503	609	
321		442	493	538	
GROUP 4	(TEST GROUP)				
322		432	444	563	
323		420	452	530	
324		437	480	592	
325		403	443	498	
326		447	469	586	
327		421	467	619	
328		425	466	597	
329		430	475	594	
330		420	443		
331		414	452	542	

APPENDIX D

RESULTS OF POSITIVE CONTROL

RCC Study Number 905635

2-MERCAPTOBENZOTHIAZOLE:

Contact Hypersensitivity in Albino Guinea Pigs, Maximization-Test

POSITIVE CONTROL

performed from 14-MAY-2001 to 21-JUN-2001

1 SUMMARY

For validation of sensitivity of the Maximization-Test of B. Magnusson and A.M. Kligman (1969) as well as the sensitivity of the test system used, a known sensitizer 2-MERCAPTOBENZOTHIAZOLE was selected as a positive control. This was performed in accordance with the recommendation of the OECD for testing of chemicals number 406 "Skin Sensitization Test", adopted by the Council on July 17, 1992 (reported Paris, April 29, 1993).

The raw data from this project are kept in a separate file at RCC Ltd. The test described was performed under GLP-conditions with a final QA-check.

The study was performed with 15 (10 test and 5 control) male albino guinea pigs (GOHI), delivered by RCC Ltd, Biotechnology & Animal Breeding Division (CH-4414 Füllinsdorf / Switzerland).

The intradermal induction of sensitization in the test group was performed in the nuchal region with a 5 % dilution of the test item in mineral oil and in an emulsion of Freund's Complete Adjuvant (FCA) / physiological saline. The epidermal induction of sensitization was conducted for 48 hours under occlusion with the test item at 50 % in mineral oil one week after the intradermal induction. The animals of the control group were intradermally induced with mineral oil and FCA/physiological saline and epidermally induced with mineral oil under occlusion. Two weeks after epidermal induction the control and test animals were challenged by epidermal application of the test item at 0.5 % in mineral oil and mineral oil alone under occlusive dressing.

Cutaneous reactions were evaluated at 24 and 48 hours after removal of the dressing.

Results

Skin Reactions after the Challenge Procedure

	after 24 hours	after 48 hours
	positive / total % positive of total	positive / total % positive of total
CONTROL GROUP		
2-MERCAPTOBENZOTHIAZOLE, 0.5 % in mineral oil (left flank)	0/5	0/5
Mineral oil only (right flank)	0/5	0/5
TEST GROUP		
2-MERCAPTOBENZOTHIAZOLE, 0.5 % in mineral oil (left flank)	10 / 10	10 / 10 100
Mineral oil only (right flank)	<u>0 / 10</u> 0	<u>0/10</u> 0

No toxic symptoms were evident in the guinea pigs of the control or test group.

No deaths occurred.

All 10 test animals showed discrete/patchy to intense erythema and swelling at the 24- and 48-hour reading after the challenge treatment with 2-MERCAPTOBENZOTHIAZOLE at 0.5 % (w/w) in mineral oil.

No skin effect was observed in the control group.

2 CONCLUSION

Based on the above mentioned findings in an adjuvant sensitization test (M&K-test) in guinea pigs and in accordance to Commission Directive 96/54/EEC, 2-MERCAPTOBENZO-THIAZOLE does have to be classified and labelled as a skin sensitizer.

3 TEST ITEM

Identification 2-MERCAPTOBENZOTHIAZOLE

Description Solid

Date of test item receipt 26-MAR-2001

Batch number 10315HU-120

Purity 98 %

Stability of test item Stable under storage conditions;

expiration date: 26-MAR-2002

Stability of test item dilution Stable in mineral oil for at least 22 hours (determined at

RCC Ltd, Environmental Chemistry & Pharmanalytics Division, RCC project 905488, non GLP, is excluded from

the statement of compliance).

Storage conditions In the original container, at room temperature

(range of 20 ± 3 °C), away from direct sunlight.

Safety precautions Routine hygienic procedures were used to ensure the health

and safety of the personnel.

4 VEHICLE

Identification Mineral oil

Description viscous liquid

Lot number 119H0221

Source Sigma, 3050 Spruce Street, Saint Louis, Missouri 63103

USA

Stability of vehicle Stable under storage conditions:

expiration date: 02-APR-2006

Storage conditions In the original container, at room temperature

(range of 20 ± 3 °C), away from direct sunlight.

Safety precautions Routine hygienic procedures were used to ensure the health

and safety of the personnel.

5 AUXILIARY COMPOUNDS

FCA

Identification Freund's Adjuvant - Complete

Description clear, amber liquid containing light colored particles

Batch No. 20K8933

Source Sigma, 3050 Spruce Street, Saint Louis, Missouri 63103

USA

Purity each ml contains 1 mg Mycobacterium Tuberculosis

(H 37Ra, ATCC 25177), heat killed and dried, 0.85 ml min-

eral oil and 0.15 ml mannide monooleate

Expiry date 06-DEC-2001

Storage conditions In the original container, in the refrigerator (range of

4 ± 3 °C), away from direct sunlight.

Physiological saline

Identification Natrium chloratum 0.9 %

Description colorless liquid

Batch No. 805904/1

Source G. Streuli & Co. AG, CH-8730 Uznach/Switzerland

Expiry date December 2004

Storage conditions In the original container, in the refrigerator (range of

4 ± 3 °C), away from direct sunlight.

6 RESULTS OF THE MAIN STUDY - CHALLENGE

TABLE 1: CONTROL GROUP

SKIN RESPONSE AFTER THE CHALLENGE APPLICATION OF MINERAL OIL (RIGHT FLANK)

Animal	Sex	REACTION READINGS AFTER REMOVAL OF BANDAGE		
No.		24 hours	48 hours	
39	male	0	0	
40	male	o	0	
41	male	0	0	
42	male	О	0	
43	male	0	0	

TABLE 2: CONTROL GROUP

SKIN RESPONSE AFTER THE CHALLENGE APPLICATION OF 2-MERCAPTO-BENZOTHIAZOLE, 0.5 % IN MINERAL OIL (LEFT FLANK)

Animal	Sex	REACTION READINGS AFTER REMOVAL OF BANDAGE			
No.		24 hours	48 hours		
39	male	0	0		
40	male	0	0		
41	male	0	0		
42	male	0	0		
43	male	0	0		

Three hours prior to the 24-hour reading of the challenge the test sites were depilated.

TABLE 3: TEST GROUP

SKIN RESPONSE AFTER THE CHALLENGE APPLICATION OF MINERAL OIL (RIGHT FLANK)

Animal	Sex	REACTION READINGS AFTER REMOVAL OF BANDAGE			
No.		24 hours	48 hours		
44	male	0	0		
45	male	0	0		
46	male	0	0		
47	male	0	0		
48	male	0	O		
49	male	0	0		
50	male	0	0		
51	male	0	0		
52	male	0	0		
53	male	0	0		

TABLE 4: TEST GROUP

SKIN RESPONSE AFTER THE CHALLENGE APPLICATION OF 2-MERCAPTOBENZOTHIAZOLE, 0.5 % IN MINERAL OIL (LEFT FLANK)

Animal	Sex	REACTION READINGS AFTER REMOVAL OF BANDAGE			
No.		24 hours	48 hours		
44	male	1	2		
45	male	2	2		
46	male	2	2		
47	male	1	1		
48	male	2	2		
49	male	3	3		
50	male	3	3		
51	male	2	2		
52	male	1	2		
53	male	2	3		

Three hours prior to the 24-hour reading of the challenge the test sites were depilated.

APPENDIX E

SUMMARY TABLE OF STUDY INFORMATION AND RESULTS

Test item identifica	tion:		SUMMA	ARY TABLE	
Name: TKA	40254 (CGX RU 997)				
Batch No.: 02/20			7		
SKIN TOLERANCE	STUDIES / IMMUN	OSTIMULATION	RCC St	udy No.:	841900
(sensitization poten	ntial by intradermal ar	nd epidermal		•	
administration) Max	ximization Test (M&	K Test)	Study C	ompletion [Date: 07-JUN-2002
Species/Strain:	Ibm: GOHI; SPF-q	uality guinea pigs	Number	r of exp. ani	mals: 15
оробіося с п запа	(synonym: Himalay				
Procedure Administration route/site		Day	Vehicle		
First induction	Intradermal/scapul	ar	1	Test:	
				2. PEG 3	hys. saline 1:1 300 hys. saline 1:1
				Control:	niys. saiiile 1.1
					hys. saline 1:1
				2. PEG 3	
				3. FCA:p	hys. saline 1:1 / 800 50/50
Second induction	Epidermal occl./sca	apular	8	1 250	000
Challenge	Epidermal occl./left flank		22	} PEG	300
Study group	Control group		Test gro	oup	
	Application	No. of appl.		tration of	No. of appl.
	Application	and dose/animal	test item	າ	and dose/animal
Intradermal 1. induction	FCA:phys. saline	2x100 μl/i.d.	0 %		2x100 μl/i.d.
2.	PEG 300	2x100 μl/i.d.	25 %		2x100 μl/i.d.
3.	FCA:phys. saline	2x100 μl/i.d.	25 %		2x100 μl/i.d.
	1:1/PEG 300 50/50	ZX 100 pm.a.			
Epidermal occl.		Saturated	100 %		Saturated
patch induction	PEG 300	patch/8 cm ²			patch/8 cm ²
Challenge A	25 %	ι Saturated	25 %		ι Saturated
В	PEG 300	J patch/9 cm ²	PEG 30		patch/9 cm ²
No.of animals &	5 fe	males		10 fe	emales
Sex Animals with skin rea	actions / out of total		<u> </u>		<u></u>
	ACTIONS / OUT OF TOTAL	/5		10	/10
0.14.10.19			10 / 10 0 / 10		
(24-hour reading) B 0 / 5 Challenge A 0 / 5			9/9*		
Challenge A 0/5 48-hour reading) B 0/5					7/9
Summary of callent f		n tested under the de	scribed co		
extreme skin sensitiz	zer.				
Study in compliance	with GLP: yes X	no	QA inspec	cted/audited	i: yes X no 🗌

^{*} One animal of the test group was found dead on test day 25.

A = left flank

B = right flank

APPENDIX F

CERTIFICATION

- ACCREDITATION / EUROPEAN STANDARD EN 45001
- GLP CERTIFICATION



Eidgenössisches Amt für Messwesen Office fédéral de métrologie Ufficio federale di metrologia Swiss Federal Office of Metrology



S Schweizerische Akkreditierungsstelle
Service d'accréditation suisse
Servizio d'accreditamento svizzero
S Swiss Accreditation Service

ACCREDITATION

Based on the Accreditation and Designation Ordinance dated 17th June 1996 the Swiss Federal Office of Metrology grants the

RCC Ltd
Toxicology Division
Zelgliweg 1
4452 Itingen

accreditation as a

Testing Laboratory for toxicological investigation of pharmaceuticals and medical devices, agrochemicals, industrial chemicals, food- and feed-additives

in accordance with SN EN 45001.

The accredited scope of testing is defined in the Official Directory of the Accredited Testing Laboratories in Switzerland.

The relevant requirements of the ISO 9002 standard are also covered by this accreditation.

Accreditation number: STS 085

Date of the accreditation: 16th September 1994

Date of the last renewal of the accreditation: 20th September 1999

The accreditation is valid until: 19th September 2004

Wabern, 20th September 1999

Swiss Federal Office of Metrology

The Director

The head of SAS

Dr Wolfgang Schwitz

Hanspeter Ischi

The Swiss GLP Monitoring Authorities



Swiss Federal Office of Public Health





Statement of GLP Compliance

It is hereby confirmed that

during the period of

August 15 - 17, 2000

the following Test Facilities of

RCC Ltd 4452 Itingen Switzerland

were inspected by the Federal Office of Public Health, the Swiss Agency for the Environment, Forests and Landscape and the Intercantonal Office for the Control of Medicines with respect to the compliance with the Swiss legislation on Good Laboratory Practice.

Test Facilities

areas of expertise*

- Toxicology Division

TOX, ACC

- Environmental Chemistry and Pharmanalytics Division

ACC, ECT, ENF, PCT, RES, OTH (Animal metabolism)

 Microbiological Diagnostics by Biotechnology & Animal Breeding Division

OTH (Microbiology)

The inspection was performed in agreement with the OECD Guidelines for National GLP Inspections and Audits. It was found that the aforementioned test facilities were operating in compliance with the Swiss Ordinance relating to Good Laboratory Practice [RS 813.016.5] at the time they were inspected.

Federal Office of Public Health The Director

Prof. Th. Zeltner

Bern, November 2000

^{*} TOX = Toxicology; ACC = Analytical and Clinical Chemistry; ECT = Environmental toxicity on aquatic and terrestrial organisms; ENF = Behaviour in water, soil and air. Bioaccumulation; PCT = Physical-chemical testing; RES = Residue studies; OTH = Other, to be specified.